

Ceramic Angular Contact Ball Bearings

Cuscinetto in ceramica n.	Cuscinetto n.	Dimensioni limite (mm)				Dimensioni di montaggio (mm)				Peso (kg)		
		d	D	B	r	da(min)	da(massimo)	Da(massimo)	ra(max)	ZR02	SI3N4	POM
7900CE	P7900	10	22	6	0.3	0.15	12.5	19.5	0.3	0.0070	0.0038	0.0010
7000CE	P7000	10	26	8	0.3	0.15	12.5	23.5	0.3	0.014	0.0075	0.0030
7200CE	P7200	10	30	9	0.6	0.3	15	25	0.6	0.0250	0.013	0.0040
7300CE	P7300	10	35	11	0.6	0.3	15	30	0.6	0.0400	0.0220	0.0070
7901CE	P7901	12	24	6	0.3	0.15	14.5	21.5	0.3	0.0080	0.0042	0.001
7001CE	P7001	12	28	8	0.3	0.15	14.5	25.5	0.3	0.0170	0.0092	0.0030
7201CE	P7201	12	32	10	0.6	0.3	17	27	0.6	0.0280	0.015	0.0050
7301CE	P7301	12	37	12	1	0.6	18	31	1	0.0460	0.0250	0.0080
7902CE	P7902	15	28	7	0.3	0.15	17.5	25.5	0.3	0.0120	0.0063	0.0020
7002CE	P7002	15	32	9	0.3	0.15	17.5	29.5	0.3	0.0240	0.013	0.0040
7202CE	P7202	15	35	11	0.6	0.3	20	30	0.3	0.0350	0.019	0.0060
7302CE	P7302	15	42	13	1	0.6	21	36	1	0.0640	0.0350	0.011
7903CE	P7903	17	30	7	0.3	0.15	19.5	27.5	0.3	0.0130	0.0071	0.0020
7003CE	P7003	17	35	10	0.3	0.15	19.5	32.5	0.3	0.0320	0.017	0.0060
7203CE	P7203	17	40	12	0.6	0.3	22	35	0.6	0.0520	0.0280	0.0090
7303CE	P7303	17	47	14	1	0.6	23	41	1	0.0870	0.0470	0.016
7904CE	P7904	20	37	9	0.3	0.15	22.5	34.5	0.3	0.0280	0.015	0.0050
7004CE	P7004	20	42	12	0.6	0.3	25	37	0.6	0.0520	0.0280	0.0090
7204CE	P7204	20	47	14	1	0.6	26	41	1	0.0820	0.0450	0.015
7304CE	P7304	20	52	15	1.1	0.6	27	45	1	0.1100	0.0600	0.0200

Ceramic Angular Contact Ball Bearings

7905CE	P7905	25	42	9	0.3	0.15	27.5	39.5	0.3	0.0320	0.018	0.0060
7005CE	P7005	25	47	12	0.6	0.3	30	42	0.6	0.061	0.0330	0.011
7205CE	P7205	25	52	15	1	0.6	31	46	1	0.0990	0.0540	0.018
7305CE	P7305	25	62	17	1.1	0.6	32	55	1	0.1800	0.0980	0.0320
7906CE	P7906	30	47	9	0.3	0.15	32.5	44.5	1	0.0400	0.0220	0.0070
7006CE	P7006	30	55	13	1	0.6	36	49	1	0.0890	0.0480	0.016
7206CE	P7206	30	62	16	1	0.6	36	56	1	0.1500	0.0830	0.0270
7306CE	P7306	30	72	19	1.1	0.6	37	65	1	0.2700	0.1400	0.0480
7907CE	P7907	35	55	10	0.6	0.3	40	50	0.6	0.0580	0.0310	0.01
7007CE	P7007	35	62	14	1	0.6	41	56	1	0.1200	0.0630	0.0220