

Round Bore And Spherical O.D.Type

Designazione del cuscinetto	Dimensione (mm)				Coefficiente di carico di base (kN)	Il peso (Kg)
	d	D	Bi	Essere		
GW208PPB6	1.188	3.1496	1.437	0.708	26200	0.72
GW209PPB11	1.7811	3.3464	1.437	0.866	29200	0.64
GW209PPB2	1.7717	3.3464	1.189	1.189	29200	0.65
GW209PPB4	1.535	3.3464	1.189	1.189	29200	0.75
GW210PPB2	1.938	3.5433	1.189	1.189	31500	0.71
GW210PPB5	1.785	3.5433	1.189	1.189	31500	0.79
GW211PPB10	1.938	3.937	1.311	1.311	39100	1.02
GW211PPB2	2.188	3.937	1.311	1.311	39100	0.97
GW211PPB9	2.194	3.937	1.311	0.984	39100	0.92
W208PPB2	1.5005	3.1496	1.689	0.708	26200	0.72
W208PPB23	1.5005	3.1496	1.689	1.189	26200	0.68
W208PPB4	1.188	3.1496	1.189	1.189	26200	0.72
W208PPB6	1.188	3.1496	1.437	0.708	26200	0.72
W208PPB7	1	3.1496	1.189	0.708	26200	0.64
W209PPB11	1.7811	3.3464	1.437	0.866	29200	0.64
W209PPB2	1.7717	3.3464	1.189	1.189	29200	0.65
W209PPB4	1.535	3.3464	1.189	1.189	29200	0.75
W210PPB2	1.938	3.5433	1.189	1.189	31500	0.71
W210PPB5	1.785	3.5433	1.189	1.189	31500	0.79
W211PPB2	2.188	3.937	1.311	1.311	39100	0.97